PRODUCT INFORMATION PACKET



Model No: 5KH39QN9542
Catalog No: 4351
General Purpose Motor, 0.25 HP, 1 Ph, 60 Hz, 115 V, 1800 RPM, 48 Frame, DP



Regal and Marathon are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2022 Regal Rexnord Corporation, All Rights Reserved. MC017097E






Nameplate Specifications


115 V
1725 rpm
1
0
В
48
No Protection
6203
Recognized
N

Technical Specifications


Electrical Type	Split Phase	Starting Method	SM
Poles	4	Rotation	Counterclockwise/Clockwise
Mounting	Rigid Base	Motor Orientation	ANY
Drive End Bearing	BALL	Opp Drive End Bearing	Ball
Frame Material	Rolled Steel	Overall Length	8.9 in
Frame Length	5.16 in	Shaft Diameter	0.500 in
Shaft Extension	1.5 in		
Outline Drawing	52A106959P1	Connection Drawing	52A105377AA

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:11/28/2022





ROTATION - SINGLE VOLTAGE EITHER KC ORΚH



NOTE #1 - TO REVERSE ROTATION INTERCHANGE BLACK (T5-KH OR J9-KC) AND RED (T8) LEADS.

NOTE #2 - WHEN MORE THAN ONE CAPACITOR IS USED CONNECT IN PARALLEL.

DRAWING NO.

S I ZE

			SWITCH (C) - 115D958AB
	REF. DIAG 121A	850	CONNECTION LABEL - 52X332047
FOR ADDITIONAL INFO REFER TO: APPLIED PRACTICES	SIGNATURES	DATE	E
	MODEL M.D.PAPE	06/29/87	REGAL-BELOIT CORPORATION
	DETAIL .		TITLE CONNECTION DIAGRAM
	CHECKED .	,	CONNECTION DIAGRAM
	ENGRG .		
	MFG .		FMF: 30 FRAME SWITCH REDESIGN
	QUALITY .		SIZE DRAWING FOR A REV
DIMENSIONS ARE IN INCHES	ISSUED M.D.P.	06/29/87	52A105377AA 11
MATERIAL .	SOLID MODEL: 52A105377AA		SCALE: 1.000 REF. No: . SHEET 1 of 1